

**NON-RESIDENTIAL FENESTRATION CALCULATION REPORT / BID REPORT
ACCORDING TO NFRC CMA PROCEDURES-NFRC STANDARD SIZE.**

NOTE: This is NOT an NFRC Label Certificate. This document can NOT be used in place of a NFRC Label Certificate and can be used only for Bid and Design Purposes.

Project Information/Number: BR-FHC-20476 **Bid Report Generated By:** Quast Consulting and Testing, Inc.

ProjectName: FHC Aspire Sample Door

Project Address: 4361 Firestone Blvd

Project City: South Gate **State:** CA **ZIP code:** 90280

Specifying Company Name: Frameless Hardware Company LLC

Specifying Authority Contact Person: Chris R Hanstad **Specifying Company Phone:** 8882954531

Frame Component Uploaded By: Non-Approved Entity **Frame Component Status:** Non-Approved

Spacer Component Uploaded By: Approved Entity **Spacer Component Status:** Non-Approved

PRODUCT LISTING:

					Performance at NFRC Standard Size		
ID	Name	Framing Ref	Glazing Ref	Spacer Ref	U	SHGC	VT
					Btu/h·ft ² ·F	-	-
P-FHC-124365	FHG Sample Product- Aspire Entrance SB90/ Sungate 400	FA-FHC-155354	GA-VTA-27250	SA-QUA-7389	0.42	0.18	0.38

FRAME, GLAZING AND SPACER ASSEMBLIES:

GLAZING LISTING:

Glazing Ref	Supplier ID	Description
GA-VTA-27250	Vitro	FHG Sample Report (SB90/ Sungate 400)

SPACER LISTING:

Spacer Ref	Supplier ID	Description
SA-QUA-7389	Quanex Building Products	Super Spacer Triseal Premium Plus .500"

FRAMING LISTING:

Framing Ref	Supplier ID	Description
FA-FHC-155354	Frameless Hardware Company LLC	FHC Aspire Sample Door

**NON-RESIDENTIAL FENESTRATION CALCULATION REPORT / BID REPORT
ACCORDING TO NFRC CMA PROCEDURES-SPECIFIED SIZE.**

NOTE: This is NOT an NFRC Label Certificate. This document can NOT be used in place of a NFRC Label Certificate and can be used only for Bid and Design Purposes.

Project Information/Number: BR-FHC-20476 **Bid Report Generated By:** Quast Consulting and Testing, Inc.

ProjectName: FHC Aspire Sample Door

Project Address: 4361 Firestone Blvd

Project City: South Gate **State:** CA **ZIP code:** 90280

Specifying Company Name: Frameless Hardware Company LLC

Specifying Authority Contact Person: Chris R Hanstad **Specifying Company Phone:** 8882954531

Frame Component Uploaded By: Non-Approved Entity **Frame Component Status:** Non-Approved

Spacer Component Uploaded By: Approved Entity **Spacer Component Status:** Non-Approved

PRODUCT LISTING:

PRODUCT LISTING:					Fenestration Performance at Specified Size*				
ID	Qty	Total Area	Name	Energy + Report	Width	Height	U	SHGC	VT
		ft ²			in.	in.	Btu/h·ft ² ·F	-	-
P-FHC-124366	1.00	32.37	FHG Sample Product-Aspire Entrance SB90/ Sungate 400	P-FHC-124366	42.00	111.00	0.38	0.18	0.40

* Individual product performance at specified size is listed in the above table and has been determined in accordance with NFRC technical procedures; however the specified size performance calculations above are for information purposes and use in area-weighted average calculations and energy simulation programs.

